§ 29.2257

contain more dirt or sand than those from higher stalk positions. (See Rule 4, §29.2395.)

§ 29.2257 Color.

The third factor of a grade based on the relative hues, saturation or chroma, and color values common to the type.

§29.2258 Color intensity.

The varying degree of saturation or chroma. Color intensity as applied to tobacco describes the strength or weakness of a specific color or hue. It is applicable to brown colors. (See chart, §29.2351.)

§ 29.2259 Color symbols.

As applied to this type, color symbols are: L—light brown, F—medium brown, D—dark brown, M—mixed or variegated, G—green, GL—light green, and GD—dark green.

[45 FR 47115, July 14, 1980]

§ 29.2260 Condition.

The state of tobacco which results from the method of preparation or from the degree of fermentation. Words used to describe the condition of tobacco are undried, air-dried, steamdried, sweating, sweated, and aged.

§ 29.2261 Crude.

A subdegree of maturity. Crude leaves are usually hard and slick as a result of extreme immaturity. A similar condition may result from fire-kill, sunburn, or sunscald. Any leaf which is crude to the extent of 20 percent or more of its surface may be described as crude. (See Rule 19, §29.2410.)

§29.2262 Cured.

Tobacco dried of its sap by either natural or artificial processes.

§29.2263 Damage.

The effect of mold, must, rot, black rot, or other fungous or bacterial diseases which attack tobacco in its cured state. Tobacco having the odor of mold, must, or rot is considered damaged. (See Rule 20, §29.2411.)

§29.2264 Dirty.

The state of tobacco containing an abnormal amount of dirt or sand, or tobacco to which additional quantities of dirt or sand have been added. (See Rule 22, §29.2413.)

§ 29.2265 Elasticity.

The flexible, springy nature of the tobacco leaf to recover approximately its original size and shape after it has been stretched. (See chart, §29.2351.)

§ 29.2266 Elements of quality.

Physical characteristics used to determine the quality of tobacco. Words selected to describe degrees within each element are shown in the chart in § 29.2351.

§ 29.2267 Fiber.

The term applied to the veins in a tobacco leaf. The large central vein is called the midrib or stem. The smaller lateral and cross veins are considered from the standpoint of size and color.

§29.2268 Finish.

The reflectance factor in color perception. Finish indicates the sheen or shine of the surface of a tobacco leaf. (See chart, §29.2351.)

§ 29.2269 Fire-cured.

Tobacco cured under artificial atmospheric conditions by the use of open fires from which the smoke and fumes of burning wood are partly absorbed by the tobacco.

§29.2270 Foreign matter.

Any extraneous substance or material such as stalks, suckers, straw, strings, rubber bands, and abnormal amounts of dirt or sand. (See Rule 22, § 29.2413.)

§29.2271 Form.

The stage of preparation of tobacco such as unstemmed or stemmed.

§ 29.2272 Grade.

A subdivision of a type according to group, quality, and color.

§ 29.2273 Grademark.

A grademark normally consists of three symbols which indicate group,

Agricultural Marketing Service, USDA

quality, and color. A letter is used to indicate group, a number to indicate quality, and a letter or letters to indicate color. For example, B3D means Heavy Leaf, good quality, and dark-brown color.

§29.2274 Green (G).

A term applied to green-colored tobacco. Any leaf which has a green color affecting 20 percent or more of its surface may be described as green. (See Rule 18, §29.2409.)

§29.2275 Group.

A division of a type covering closely related grades based on certain characteristics which are usually related to stalk position, body, or the general quality of the tobacco. Groups in this type are Wrappers (A), Heavy Leaf (B), Thin Leaf (C), Lugs (X), Nondescript (N), and Scrap (S).

§29.2276 Injury.

Hurt or impairment from any cause except the fungous or bacterial diseases which attack tobacco in its cured state. (See Rule 16, §29.2407.)

§ 29.2277 Leaf scrap.

A byproduct of unstemmed tobacco. Leaf scrap results from handling unstemmed tobacco and consists of tangled whole or broken leaves.

§29.2278 Leaf structure.

The cell development of a leaf as indicated by its porosity. (See chart, §29.2351.)

§29.2279 Length.

The linear measurement of cured tobacco leaves from the butt of the midrib to the extreme tip.

§29.2280 Lot.

A pile, basket, bulk, or more than one bale, case, hogshead, tierce, package, or other definite package unit.

§29.2281 Maturity.

The degree of ripeness. (See chart, $\S 29.2351.$)

§ 29.2282 Mixed color or variegated (M).

Distinctly different colors of the type mingled together, or any leaf of which 20 percent or more of its surface is off brown, grayish, mottled, or bleached and does not blend with the normal colors of the type or group. (See Rule 17, §29.2408.)

§ 29.2283 Nested.

Any tobacco which has been loaded, packed, or arranged to conceal foreign matter or tobacco of inferior grade, quality, or condition. (See Rule 22, § 29.2413.)

§29.2284 No grade.

A designation applied to a lot of tobacco classified as nested, offtype, rework, semicured, or premature primings; tobacco that is damaged 20 percent or more, abnormally dirty, extremely wet or watered, contains foreign matter, or has an odor foreign to the type. (See Rule 22, §29.2413.)

§ 29.2285 Offtype.

Tobacco of distinctly different characteristics which cannot be classified as Fire-cured, U.S. Type 21. (See Rule 22, §29.2413.)

§29.2286 Oil.

A soft, semifluid constituent of to-bacco. (See chart, §29.2351.)

§29.2287 Order (case).

The state of tobacco with respect to its moisture content.

§ 29.2288 Package.

A hogshead, tierce, case, bale, or other securely enclosed parcel or bundle.

§ 29.2289 Packing.

A lot of tobacco consisting of a number of packages submitted as one definite unit for sampling or inspection. It is represented to contain the same kind of tobacco and has a common identification number or mark on each package.